Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19369	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/103x) or (707/200) or (705/58)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/05/17 08:24
L2	69844	(universal\$2 global\$1 unique\$2) near5 (username\$1 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:38
L3	139995	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom store\$1 storing) near9 (external\$1 over via communicat\$4 outside\$1) near9 (network\$1 internet\$1 channel\$1 domain system\$1 station\$1 computer\$1 lan wan)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:44
L4	122928	(administrat\$4 manag\$6) near4 (network\$1 domain system\$1 station\$1 computer\$1 server\$1 node\$1 host\$3 proxy)	USPAT; IBM_TDB	OR	OFF	2007/05/17 08:31
L5	2855	I1 and I2 and I3 and I4	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:41
L6	75	((second\$3 another multiple\$1 plural\$8 different\$1) near3 (organization\$1)) near7 l4	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:49
L7	. 6	15 and 16	USPAT; IBM_TDB	OR	OFF	2007/05/17 08:34
L8	6795	((713/150) or (713/153) or (713/155) or (713/167) or (713/164) or (713/169) or (713/182) or (705/51) or (705/52) or (705/56) or (705/67) or (705/78) or (705/1) or (705/18) or (705/44) or (455/410) or (455/431) or (455/432.3) or (455/435.2) or (455/463)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:42
L9	69936	(universal\$2 global\$1 unique\$2 system-wide network-wide (system adj2 wide) (network adj2 wide)) near5 (username\$1 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:39
L10	13853	I9 and I2 and I3 and I4	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:41

L11	643	((second\$3 another multiple\$1 plural\$8 different\$1) near3 (organization\$1)) and 10	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:59
L13	43	18 and 111	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:43
L14	8526	(l1 l8) and l9	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:42
L15	21940	(second\$3 another multiple\$1 plural\$8 different\$1) near7 l4	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:12
L16	1906	114 and 115	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:43
L17	140256	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom store\$1 storing) near9 (external\$1 over via communicat\$4 outside\$1) near9 (I4 (network\$1 internet\$1 channel\$1 domain system\$1 station\$1 computer\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:48
L18	1205	l16 and l17	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:48
L19	416	I16 and ((memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom store\$1 storing) near9 (external\$1 over via communicat\$4 outside\$1) near9 I4)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:48
L20	198	I19 and (organization\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:49
L21	1028	(user\$2 client\$2 person\$2) near6 (request\$3 acquir\$3 permission\$1 permit\$4) near8 ((access\$3 allow\$3 protect\$4 secure\$4 safe\$2) near4 object\$4)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:13
L22	7765	(user\$2 client\$2 person\$2) near5 l9	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:58
L23	10	I20 and I21	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:56
L24	4	I22 and I23	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:54
L25	4013	117 and 122	USPAT; IBM_TDB	OR	OFF .	2007/05/17 10:18
L26	72	I21 and I25	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:59
L27	13	((second\$3 another multiple\$1 plural\$8 different\$1) near3 (organization\$1)) and I26	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:00

L28	9281	l17 and ((second\$3 another multiple\$1 plural\$8 different\$1) near5 l4)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:13
L29	159	I28 and ((request\$3 acquir\$3 permission\$1 permit\$4 access\$3 allow\$3) near5 ((protect\$4 secure\$4 safe\$2) near4 object\$4))	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:15
L30	128	129 and 19	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:16
L31	9281	l28 and l17	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:16
L32	128	l30 and l17	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:16

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	882	(universal\$2 global\$1 system-wide network-wide) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:44
L2	28028	(collection\$1 stored database\$1) near3 object\$1	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:34
L3	177481	(access\$3 authori\$9 authentic\$7 verfi\$9) near4 (control\$1 user\$1 client\$1 request\$3 unit\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:35
L4	1223	(resource\$1 near3 (manag\$6 administrat\$4)) near6 (channel\$1 link\$3 path\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:46
L5	2902	((memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near4 (external\$1 another\$1 outside\$1 different\$2 second\$3)) with ((administrat\$4 manag\$7) near4 (domain\$1 system\$1 network\$1 organization\$1))	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:43
L6	21	I1 and I5	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:47
L8	9	I2 and I3 and I4 and I5	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:46
L9	66143	(universal\$2 global\$1 system-wide network-wide unique\$2) near4 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:49
L14	776	I5 and ((universal\$2 global\$1 system-wide network-wide unique\$2) near4 (username\$1 id identif\$4 identification\$1))	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:46
L15	194	(resource\$1 near3 (manag\$6 administrat\$4)) and l14	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51
L16	117	I2 and I3 and I15	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:52
L17	5	I1 and I16	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51
L18	6220	(universal\$2 global\$1 system-wide network-wide unique\$2) near4 (id identif\$4 identification\$1) near3 (user\$1 client\$1 requestor\$1 requester\$1 person\$2)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:50
L19	98	118 and I5	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51
L20	36	(resource\$1 near3 (manag\$6 administrat\$4)) and l19	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51

L21	33	12 and 120	USPAT;	OR	OFF	2007/05/17 10:52
			IBM_TDB			